



G O D F R E Y

ILLINOIS

You can see your future from here

BUILDING & ZONING

**RESIDENTIAL BUILDING PERMIT
2018 INTERNATIONAL RESIDENTIAL CODE**

DATE: _____

NEW: _____ ADDITION: _____ REMODEL: _____

CONTRACTOR'S NAME: _____

CONTRACTOR'S ADDRESS: _____

PHONE: _____

ADDRESS OF PROJECT: _____

PARCEL ID: _____ ZONE: _____

RETAIL COST OF PROJECT: _____

PLUMBING CONTRACTOR LICENSE #: _____

ROOFER LICENSE #: _____

LENGTH: _____ WIDTH: _____


SQ. FT. FIRST FLOOR: _____ SECOND FLOOR: _____

BASEMENT: _____ GARAGE: _____ TOTAL: _____

WILL NOT REVIEW UNLESS APPLICATION IS COMPLETE.

Specification Sheet

NOTE: List all Sizes & Materials



Roof Covering
Sheathing Paper
Roof Sheathing
 Roof Slope _____
 Roof Rafters _____ @ Centers _____
 Ceiling Joists _____ @ Centers _____
 Double Top Plate _____
Headers
Interior Wall Finish & Ceiling Finish
Wall Studs _____ @ _____ Centers _____
Wall Boxing _____ Any material other than hard boxing must have diagonal bracing _____
Exterior Wall Finish
Sheathing
Vapor Retarder
Finish Floor
Subfloor (3/4" T & G Plywood Minimum)
Bottom Plate
 2x8 () 11' 4" span, 2x10 () 14' 0" span, 2x12 () 16' 6" span 16" centers (unless stress rated material)
Floor joist (Maximum spans are shown. Check one that applies)
Beam - Size _____ Style _____
Termite Shield
Anchor Bolt
Foundation Size & Reinforcement
 * size foundation and reinforcement as per attached sheet:
Wall thickness _____ Wall Height _____ Rebar Size _____
Water Proofing Type: _____ Insulation type _____
Foundation first Line Depth (min. 36" from grade to bottom of footing) _____ Crawl Space (min. of 16") _____
Silt Cover & Rock
Drain Tile
Concrete Floor (Min 4")
 Footing 1 story _____ 8"x16" Min.
 Footing 2 Story _____ 10"x20" min.
 Rock 4" min. & 6 mil vapor retarder lapped min 6"

Note: Dowel bars 1/2" @ 2' Centers may be used in lieu of Dove Tail in Footing

SITE PLAN

ATTACH A SITE PLAN TO THIS APPLICATION.

- **LOCATION OF BUILDING**
 - **DISTANCE TO ALL PROPERTY LINES**
-

ATTACH SEALED DRAWING OF ROOF TRUSSES.